



राष्ट्रीय मूल्यांकन एवं प्रत्यायन परिषद्

विराजविद्यालय अनुदान आयोग का स्वायत्त संस्थान

NATIONAL ASSESSMENT AND ACCREDITATION COUNCIL

An Autonomous Institution of the University Grants Commission

Quality Profile

Name of the Institution : Department of Teacher Education

I. P. College

Place : Campus - 2, Daryapur, Bulandshahr, Uttar Pradesh

Criteria	Weightage (W _i)	Criterion-Wise Grade Point Averages (C _i GPA)	W _i X C _i GPA
I. Curricular Aspects	050	3.00	150
II. Teaching-Learning and Evaluation	450	3.21	1445
III. Research, Consultancy and Extension	100	2.95	295
IV. Infrastructure and Learning Resources	100	3.40	340
V. Student Support and Progression	100	3.70	370
VI. Governance and Leadership	150	3.33	500
VII. Innovative Practices	050	3.30	165
Total	$\sum_{i=1}^7 W_i = 1000$		$\sum_{i=1}^7 W_i \times C_i \text{ GPA} = 3265$

$$\text{Institutional Score} = \frac{\sum_{i=1}^7 (W_i \times C_i \text{ GPA})}{\sum_{i=1}^7 W_i} = \frac{3265}{1000} = \boxed{3.27}$$

Grade =

Descriptor =

Date : April 21, 2012



Hardeep Singh
Director

- This certification is valid for a period of Five years with effect from April 21, 2012
- An institutional CGPA on four point scale in the range of 3.01 - 4.00 denotes A grade (Very Good), 2.01 - 3.00 denotes B grade (Good), 1.51 - 2.00 denotes C grade (Satisfactory)
- Scores rounded off to the nearest integer

EC/59/A&A/08



राष्ट्रीय मूल्यांकन एवं प्रत्यायन परिषद्

विराजविद्यालय अनुदान आयोग का स्वायत्त संस्थान

NATIONAL ASSESSMENT AND ACCREDITATION COUNCIL

An Autonomous Institution of the University Grants Commission

Certificate of Accreditation

*The Executive Committee of the
National Assessment and Accreditation Council
on the recommendation of the duly appointed
Peer Team is pleased to declare the*

Department of Teacher Education

G. T. College

Campus - 2, Daryapur, Bulandshahr, affiliated to Ch. Charan Singh University,

Uttar Pradesh as

Accredited

with CGTMA of 3.27 on four point scale

at A grade

valid up to April 20, 2017

Date : April 21, 2012



Mafayyus
Director



EC/59/A&A/08